

**Sanoca Rural Fire District, Inc.**  
**STANDARD OPERATING PROCEDURES**  
**Emergency Operations**

**Fire Company Operations**

**Subject: Structure Fires (General)**

Adopted: April 5, 2003

Revised: May 09, 2006

---

**PURPOSE**

- A. To provide a means of suppressing fires when they occur within a structure.
- B. To establish guidelines so that all personnel shall have a clear understanding of their responsibilities at the scene of a structure fire.

**POLICY**

These guidelines should be followed whenever a fire occurs within a structure.

**PROCEDURES**

- \*THERE SHALL BE AT LEAST 2 PERSONNEL ON ANY INTERIOR ATTACK HOSE-LINE\*
- \*THERE SHALL BE AT LEAST 2 PERSONNEL ON ANY INTERIOR SEARCH & RESCUE\*
- \*THERE SHOULD BE A "R.I.T." IN PLACE ON ANY INTERIOR OPERATIONS. OR ANY SITUATION WHERE PERSONNEL ARE EXPOSED, OR COULD BE EXPOSED, TO ANY IDLH (IMMEDIATELY DANGEROUS TO LIFE OR HEALTH) SITUATION.\*

\*PERSONNEL MUST BE, AS A MINIMUM, CERTIFIED BY THE FIRE CHIEF, AS NFPA 1403 CERTIFIED, BEFORE PARTICIPATING IN ANY INTERIOR STRUCTURAL FIRE ATTACK OPERATION.

**A. UPON ARRIVAL**

- 1. The first in officer shall give a brief condition report.
  - a. Number of stories.
  - b. Type of structure.
  - c. What is showing?
  - d. From what side the problem is showing?
  - e. Report on exposures.
  - f. Who is in command?
- 2. Conduct an on the spot size-up.
  - a. What have I got?
  - b. What is burning?
  - c. Where is it going?
  - d. What (and who) is in it's way?
  - e. Do I need additional help?
- 3. The first arriving officer SHOULD take command.

**D. COMMUNICATIONS AND COORDINATION**

Good communications and proper coordination are essential

at structure fires.

1. The Incident Commander must provide the necessary coordination of the various fire ground activities.
2. The Incident Commander must communicate all instructions and vital information clearly to those who he is supervising.

#### E. TACTICAL CONSIDERATIONS

The Tactical objectives in fighting a structure fire shall be in order of priority as follows:

- |                       |                               |
|-----------------------|-------------------------------|
| <b>1*</b> Rescue      | <b>2*</b> Exposure protection |
| <b>3*</b> Confinement | <b>4*</b> Extinguishment      |
| <b>5*</b> Overhaul    | <b>6*</b> Ventilation         |
| <b>7*</b> Salvage     |                               |

1. Rescue
  - a. Human life is the most important consideration at a fire or other emergency.
  - b. Rescue of humans override all other strategic considerations at a fire.
  - c. The primary functions of an adequately staffed truck company (if available) shall be rescue.
  - d. A primary and secondary search shall be conducted at all structure fires.
    - 1) During search all rooms should be marked by some means to indicate that the particular room has been searched.
2. Exposure Protection
  - a. Exposure protection is the strategy of preventing a fire from spreading to the uninvolved building(s) or in involved parts of the fire building.
  - b. The first in Incident Commander shall be responsible for the initial protection of exposures.
3. Confinement
  - a. The strategy of confinement means preventing the fire from extending to uninvolved sections of the building.
  - b. Whenever possible, the most effective method of confining fire spread is a direct attack on the fire.
  - c. The Incident Commander shall decide whether to make an offensive approach, aggressive interior attack, or a defensive approach, attacking the fire from the outside. There may be situations when both approaches could be used, but a defensive attack should not be used when crews are operating on the interior.
  - d. All avenues of fire spread must be considered example: shafts, openings, utility raceways, ducts etc.
  - e. Where fires involve concealed spaces (attic,

ceilings, construction voids, etc.) it becomes very important that the vent crews open up and fire attack operate fire streams into such areas.

4. Extinguishment
  - a. In most fire situations a quick and aggressive attack on the seat of the fire will take care of rescue, exposures, and confinement at the same time.
  - b. The size-up will provide information as to techniques, equipment and manpower needs to overcome the fire.
5. Overhaul
  - a. The purpose of overhaul is to make sure the fire is completely out.
  - b. Overhaul operations must be properly coordinated with fire investigation efforts.
  - c. Unsafe conditions should be identified early in the overhaul process and definite efforts made to avoid the possible problems associated with the same.
  - d. During overhaul most fire fighters are more relaxed, tired, perhaps less alert and thus more apt to get injured.
  - e. Personnel should not remove their breathing apparatus until the area is completely cleared of toxic gases.
  - f. When available, a fresh crew should perform overhaul.
  - g. Particular attention should be given to hidden areas during overhaul.
  - h. During overhaul care should be given to protect personnel from exposure to carbon monoxide and other by products of combustion.
6. Ventilation
  - a. Based upon the situation, ventilation may need to occur anytime during the operation.
  - B. Ventilation shall be employed to:
    1. Channel heat, smoke and flames from potential victims.
    2. To prevent backdraft and flashover.
    3. To remove heat and smoke from the building so to reduce property damage.
    4. To allow the interior of the structure to be more tenable and safer for fire fighting operations.
7. Salvage
  - a. Salvage may need to begin at various points during a fire operation.
  - b. Salvage is those operations required to safe guard personal property, furnishings, and the unaffected portions of a structure from the effects of heat, smoke, fire and the weather.
  - c. Salvage should include:
    1. The use of salvage covers.

2. Removing water from the structure.
  3. Removing furniture and personal belongings to a safe location.
  4. Debris removal.
  5. Removal of valuables from debris.
  6. Covering openings to keep weather out and to secure the building.
  - d. All members are expected to perform in a manner that continually reduces loss during fire operations.
8. UTILITY CONTROL
- a. Utilities should be shut down and brought under control to insure that they will not contribute to the fires spread, overall damage or create any type of safety hazard.
  - b. At structure fires where electrical involvement or damage has occurred, request via radio the response of the proper electric company.
  - c. If the electric company is not available in time, fire personnel may shutdown the power via circuit breakers.
  - d. If necessary, shut down gas lines at the meter and have the Gas Department notified. Meters that have been shut off by fire department personnel should be padlocked.
  - e. If necessary, shut down water supplies to the structure at the valve closest to the point of usage.
9. SAFETY
- a. Safety is an important aspect of all fire ground operations. Accomplishing fire ground objectives in a safe manner helps reduce fire fighter injuries and deaths.
  - b. Members involved at structure fires shall wear appropriate protective clothing and self contained breathing apparatus.
  - c. Fire ground operations should not be carried out in a rush, but rather they should be accomplished at a reasonable pace which allows for operations to be completed in a safe and efficient manner.
  - d. Fire Officers must constantly be aware of both fire and structural conditions which may deteriorate at a point which places fire fighters in jeopardy.
  - e. Indications of the possibility of structural collapse and/or other life threatening occurrences shall be communicated to all personnel within the incidents perimeter and appropriate actions taken.
10. LIFE SAFETY TO THE OCCUPANTS
- a. Is the number one priority.
  - b. Fire ground operations shall be coordinated and conducted in such a manner as to support life safety operations which may be currently under way.
  - c. Hose line placement and ventilation shall be

coordinated so as affect safe and efficient rescue operations.

- d. Use normal means of egress first e.g. halls, stairs.
- e. Ladders should be used as a secondary means of egress.
- f. Provide for the care and medical needs of victims who have been removed from the fire building.